

Cakewalk Compressor Comparison Chart

Compressor	Threshold	Ratio	Attack	Release
Boost 11	Fixed (Boost)	<i>Fixed</i> (L)	Fixed	Fixed
BT Analog Trackbox	Variable	<i>Variable:</i> 1:1 - 10:1	1 ms - 400 ms	50 ms - 2 sec
BT CP2S	Variable	<i>Variable:</i> 1:1 - ∞:1	1 ms - 1 sec	50 ms - 5 sec
BT FA-770	Variable	<i>Fixed</i> (Dependent)	<i>Selectable:</i> 0.2ms/20ms; 4ms/40ms; 40ms/120ms	<i>Selectable:</i> 300ms/800ms; 2sec; 5sec; 600ms/300ms
Cakewalk Compressor	Variable	<i>Variable:</i> 1:1 - 50:1	0 - 500 ms	0 ms - 4 sec

Cakewalk Compressor Comparison Chart

Compressor	Threshold	Ratio	Attack	Release
MAX Style Dial	Fixed (Dependent)	<i>Fixed</i> (L)	Fixed	Fixed (Dependent)
PC4K Bus Comp	Variable	<i>Selectable:</i> 2:1, 4:1, 10:1	0.1 ms - 30 ms	100 ms - 1.2 sec; Auto
PC76	Fixed (Input)	<i>Selectable:</i> 4:1, 8:1, 12:1, 20:1, $\infty$ :1	0 - 1.2 ms	50 ms - 1.2 sec
Sonitus Compressor	Variable	<i>Variable:</i> 0.4:1 - $\infty$ :1	0 - 400 ms	1 ms - 4 sec
VX-64 Vocal Strip	Variable	<i>Variable:</i> 1:1 - $\infty$ :1	0.1 ms - 100 ms	Fixed

Cakewalk Compressor Comparison Chart

Compressor	Threshold	Ratio	Attack	Release
+10dB Compressor *	Fixed (Input)	<i>Variable:</i> 1:1 - ∞:1	<i>Selectable:</i> 0.25 ms, 2.5 ms, 25ms	Selectable: 25, 50, 100, 200, 400, 800 ms; 1.6, 3.2 sec; Auto
CA-2A *	Fixed (Dependent)	<i>Fixed</i> (Dependent)	Fixed (Dependent)	Fixed (Dependent)
Concrete Limiter *	Variable	<i>Fixed</i> (L)	Fixed	1 ms - 2.5 sec
PC4K Channel Comp *	Variable	<i>Variable:</i> 1:1 - ∞:1	<i>Selectable:</i> Fast (~5ms) or Slow (~35ms)	100 ms - 4 sec
VKFX Compressor *	Variable	<i>Variable</i>	Variable	Fixed

\* Not included in SONAR Platinum